Steel Pole Ladders



The NASC have been made aware of the following safety alert

Steel Pole Ladders

The HSE recently imposed a prohibition notice on a scaffold contractor (non-NASC member) about the use of a particular type of steel pole ladder following a reported fall from height.

The HSE noted that the steel pole ladder used as ladder access on the scaffold did not have any grip/tread on the rungs and as such was in breach of the provision of Work Equipment Regulations 1998 Regulation 4 (1).

Steel pole ladders are a popular form of ladder equipment for scaffolds and all scaffold contractors are urged to check that if they are using the steel version that the ladder does indeed have a ribbed or textured tread on the stiles to ensure compliance.

According to the Ladder Association the minimum standard for a 'trade purpose' ladder is EN131. Within this specification document it states the following...

"A rung is defined as "a climbing support with a standing surface from front to back of less than 80mm and at least 20mm".

It also requires that "rungs and steps made of metal or plastics shall be made with antiskid walking surface, e.g. by profiling".

For information please see attached the aformentioned prohibition notice and site photographs.

It should also be noted that the scaffolding in question was not built in accordance with SG4:10 "Preventing Falls in Scaffolding"



Steel Pole Ladders



NATIONAL ACCESS & SCAFFOLDING CONFEDERATION

Health and Safety // Executive with and Safety at Work ale Act 1974, Sections 22, 23 and 24 Serial Number Prohibition Notice Name Address Trading as* I, Drapactor's full name) one of Her Majesty's Inspectors of (Inspectors official designation) Being an Inspector appointed by an instrument in writing made pursuant to section 19 of the said Act and entitled to issue the notice Of (Official address) Telephone number hereby give you notice that I am of the opinion that the following activities namely: The Provision of unsuitable ladders which are being carried on* / likely to be carried on* by you"/ under your control* at: (Location of premiees or pla ANY LOCATION involve" / or will involve*, a risk of serious personal injury, and that the matters which give rise* / will give rise* to the said risks are: Parsons could slip or fall from these type of laddens a distance which is likely to cause serious personal infury and that the said matters involve* / will involve* contravention of the following statutory provision Provision and Use of Work Equipment Regulations 1998 Regulation 4(1) because The ladders are not constructed or adapted as to be suitable for the purpose for which they are provided and I hereby direct that the said activities shall not be carried on by you or under your control immediately" / after unless the said contraventions and matters have been remedied. I further direct that the measures specified in the schedule which forms part of this notice shall be taken to remedy the said contraventions or matters. Date 24/08/2010 Signature / A Prohibition Notice is also being served on" of related to the matters contained in this notice. This is a relevant notice for the purposes of the Environment and Safety Information Act 1988 Yes" (Mat This page only will form the register entry. Date 24/08/2010 , Signature LP2 (nev 03.05) SEE NOTES OVERLEAF



Steel Pole Ladders



NATIONAL ACCESS & SCAFFOLDING CONFEDERATION

Health and Safety at Work etc Act 1974, sections 21, 22, 23, and 24 HSE Schedule Serial N In order to comply with this notice you should: 1. Remove these types of laddens from any location which they are in use at take them out of Senice. 2. Replace the laddens with a type which is suitable for the purpose which they are provided ie: which couply writh BSEN 131. 3. Any other equally effective measures to remady

3



the said contravention



Steel Pole Ladders



NATIONAL ACCESS & SCAFFOLDING CONFEDERATION





Steel Pole Ladders



NATIONAL ACCESS & SCAFFOLDING CONFEDERATION



